

SAFETY DATA SHEET

According to EC 1907/2006 (REACH)

Date last verification : 2017-05-29 Version number : 4.0

Revision date : 2017-05-29 Publication date : 2008-05-20

Last modifications in sections: 2 - 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SDS : 24792

Supplier : POLYCHROMAL B.V.

Postbus 8043 1802 KA Alkmaar The Netherlands TEL:+31 72 5670799 FAX:+31 72 5624095

Tradename : POROPRINT GN04B

1.2. Relevant identified uses of the substance or mixture and uses advised against

General description : PRINTING INK

Use : Various

Uses advised against : Data not available.

1.3. Details of the supplier of the safety data sheet

Supplier safety data sheet : Philips Electronics Nederland B.V., Philips Environment & Safety, High Tech Campus 37, 5656 AE

Eindhoven, Tel. +31 (0)40 27 41 645

Responsible department : dangerous.goods@philips.com

1.4. Emergency telephone number

Emergency telephone number : +31 (0)497-598315

* SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(EC) No 1272/2008

Not classified according to GHS classification.

2.2. Label elements

(EC) No 1272/2008 Label : not applicable

Remarks on labelling none

2.3. Other hazards

If applicable: see section 6.1 and section 7.1.

* SECTION 3: Composition/information on ingredients

| Component | CAS-no. EC-no. | Index No. Registration no. | — Percentage(%) Label |
|-------------------------------------|-------------------------|--------------------------------------|-----------------------|
| DIPROPYLENE GLYCOL MONOMETHYL ETHER | 34590-94-8 252-104-2 | 01-2119450011-60 01-2119991100-47 | ≥80.0 |
| ETHYLCELLULOSE | 9004-57-3 | | <10.0 |

Date of request : 2018-01-12 SDS 24792 - Page 1 / 7

| Component | EC-no. | Registration no. | – Percentage(%) | Label | |
|-----------|--------------|------------------|-----------------|-----------------------|-----------------------------------|
| DYE GREEN | Confidential | | _ <10.0 | GHS07 H319 H412 | Eye irrit. 2 Aquatic chronic 3 |

Inday No

CAS-no

For the full text of the H-sentences mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Skin : Remove residue substance as soon as possible from the skin (f.i. rinse with plenty of water).

Ingestion: If the victim is conscious let him rinse the mouth with water. Do NOT let him drink. In case of general disorders call for a

doctor.

Inhalation
Bring the victim into the fresh air as soon as possible, let rest and if necessary call for a doctor.
Eyes
Rinse for a long time with plenty of water. In case of eye-sight disturbances consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin local : The substance is prickling: redness.

Degreasing: in case of sustained contact a rough, dry skin, eczema.

general : Probably no absorbtion worth mentioning. local : The substance is prickling: sore throat.

general : The substance may be absorbed after ingestion.

Inhalation local : The substance is with atomising prickling: sore throat. general : The substance may be absorbed after inhalation.

Eyes local : The substance is prickling: redness.

Remarks symptoms : The substance has an effect on: the liver, the kidneys, the nervous system.

4.3. Indication of any immediate medical attention and special treatment needed

For advice on further treatment contact a (national) poison center.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable fire-extinguisher

carbon dioxide, extinguishing powder, water spray, alcohol resistant foam

Unsuitable fire-extinguisher

not traceable

Ingestion

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in fire : carbon monoxide, nitrous oxides, sulphur oxides, chromic oxides, copper oxides

5.3. Advice for firefighters

In the event of fire, wear protective clothing and use breathing apparatus that is independent of the ambient air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Precautions

Use protective equipment. See section 8.

Emergency procedure

Is not to be expected.

6.2. Environmental precautions

Remainder material or uncleaned empty packagings have to be incinerated in a proper installation or dumped on an approved landfill, in accordance with local and national legislation.

6.3. Methods and material for containment and cleaning up

Spillage procedure

Absorb the liquid in appropriate absorbent (e.g. Powersorb, dry sand, diatomite, vermiculite etc.), shovel the mixture into plastic bags and remove to the central depot for hazardous waste.

Date of request : 2018-01-12 SDS 24792 - Page 2 / 7

6.4. Reference to other sections

See section 8 for appropriate personal protection. See section 13 for additional information on waste treatment.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Observe label precautions.

Do not eat, drink or smoke in work areas. Remove contaminated clothing and protective equipment. Wash hands after leaving the work area.

Local exhausting : Under normal circumstances not applicable.

Storage code (on behalf of PGS: none

15)

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : See also any precautionary statements in section 2.2.

Store product protected from the sun, protected from proximity to other sources of heat, dry, in a closed

packaging, in a well ventilated area.

Storage temperature : <40 °C

7.3. Specific end use(s)

Data not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits:

| applicable to: The Netherlands (20 °C; 1013 | mbar) |
|---|-------|
|---|-------|

TWA(8 hours): 300 mg/m3 DIPROPYLENE GLYCOL MONOMETHYL ETHER (Statutory threshold limit value)

No TWA has been laid down.

TWA(8 hours): 0.5 mg/m3

DYE GREEN(as chromium)

TWA(15 minutes): 1 mg/m3

DYE GREEN(as chromium)

TWA(8 hours): 0.1 mg/m3

DYE GREEN(as copper, inhalable dust)

CStatutory threshold limit value)

(Statutory threshold limit value)

(Statutory threshold limit value)

applicable to: Belgium (20 °C; 1013 mbar)

TWA(8 hours): 308 mg/m3 S DIPROPYLENE GLYCOL MONOMETHYL ETHER

TWA(8 hours): 0.5 mg/m3 DYE GREEN(as chromium)

applicable to: Germany (20 °C; 1013 mbar)

TWA(8 hours): 310 mg/m3 DIPROPYLENE GLYCOL MONOMETHYL ETHER TWA(8 hours): 1 mg/m3 DYE GREEN(as copper, inhalable dust)

applicable to: United States of America (25 °C; 1013 mbar)

TWA(8 hours): 606 mg/m3 S DIPROPYLENE GLYCOL MONOMETHYL ETHER[according to ACGIH]

TWA(15 minutes): 910 mg/m3 S DIPROPYLENE GLYCOL MONOMETHYL ETHER[according to ACGIH]

TWA(8 hours): 600 mg/m3 S DIPROPYLENE GLYCOL MONOMETHYL ETHER-[according to OSHA]

TWA(8 hours): 0.5 mg/m3 DYE GREEN(as chromium) - [according to ACGIH]
TWA(8 hours): 0.5 mg/m3 DYE GREEN(as chromium) - [according to OSHA]

applicable to: Sweden (20 °C; 1013 mbar)

TWA(15 minutes): 450 mg/m3 C S DIPROPYLENE GLYCOL MONOMETHYL ETHER TWA(8 hours): 300 mg/m3 S DIPROPYLENE GLYCOL MONOMETHYL ETHER

TWA(8 hours): 0.5 mg/m3 DYE GREEN(as chromium, dust)

applicable to: Switzerland (20 °C; 1013 mbar)

TWA(8 hours): 300 mg/m3 DIPROPYLENE GLYCOL MONOMETHYL ETHER TWA(15 minutes): 300 mg/m3 DIPROPYLENE GLYCOL MONOMETHYL ETHER TWA(8 hours): 0.5 mg/m3 DYE GREEN(as chromium, inhalable dust)

applicable to: China (20 °C; 1013 mbar)

TWA(8 hours): 600 mg/m3 S DIPROPYLENE GLYCOL MONOMETHYL ETHER TWA(15 minutes): 900 mg/m3 S DIPROPYLENE GLYCOL MONOMETHYL ETHER

applicable to: European Union (20 °C; 1013 mbar)

TWA(8 hours): 308 mg/m3 S DIPROPYLENE GLYCOL MONOMETHYL ETHER

C=Ceiling; S=Skin

Remarks exposure limits:

none

Date of request : 2018-01-12 SDS 24792 - Page 3 / 7

DNEL (Derived No Effect Level)

Worker - Inhalation - Long term exposure - Systemic effects: 308 mg/m3

Worker - Dermal - Long term exposure - Systemic effects: 283 mg/kg bw/day

DIPROPYLENE GLYCOL MONOMETHYL ETHER
Source : ECHA

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Source : ECHA
Consumer - Inhalation - Long term exposure - Systemic effects: 37.2 mg/m3

Source : ECHA
DIPROPYLENE GLYCOL MONOMETHYL ETHER

Consumer - Dermal - Long term exposure - Systemic effects: 121 mg/kg bw/day

Consumer - Oral - Long term exposure - Systemic effects: 36 mg/kg bw/day

Source : ECHA
DIPROPYLENE GLYCOL MONOMETHYL ETHER
DIPROPYLENE GLYCOL MONOMETHYL ETHER

Source : ECHA

PNEC (Predicted No Effect Concentration)

DIPROPYLENE GLYCOL MONOMETHYL ETHER : ECHA Fresh water: 19 mg/l Source DIPROPYLENE GLYCOL MONOMETHYL ETHER : ECHA Marine water: 1.9 mg/l Source DIPROPYLENE GLYCOL MONOMETHYL ETHER ECHA Source Fresh water sediment: 70.2 mg/kg Marine water sediment: 7.02 mg/kg DIPROPYLENE GLYCOL MONOMETHYL ETHER Source **ECHA** DIPROPYLENE GLYCOL MONOMETHYL ETHER Source : ECHA Soil: 2.74 mg/kg DIPROPYLENE GLYCOL MONOMETHYL ETHER Source : ECHA Intermittent releases: 190 mg/l Sewage Treatment Plant (STP): 4168 mg/l DIPROPYLENE GLYCOL MONOMETHYL ETHER Source : ECHA

8.2. Exposure controls

Advised personal protection :

Hands : butyl rubber gloves

Breakthrough time : For information: consult the supplier of the gloves.

Eyes : safety goggles

Inhalation : none (when sufficient exhausting)

Skin : protective clothing (such as: apron, coverall, boots)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : liquid
Colour : green
Odour : ether-like

Odour threshold (20°C; 1013 mbar) : 6160 mg/m3 DIPROPYLENE GLYCOL MONOMETHYL ETHER

 pH
 : ≥5 - ≤9

 Melting point/range
 : not traceable

 Boiling point/range
 : >180 °C (1013 mbar)

Flash point/range : >74 °C
Vapor rate/range : not traceable
Flammability (solid, gas) : data not available

Explosive limits : LEL:≥1.1 vol.% - UEL:≤14.0 vol.%

Vapour pressure : ≤0.06 kPa (20 °C)

Relative density : $\geq 0.96 - \leq 0.99$ (water=1) (20 °C)

Solubility in water : partial

Log Po/w : -0.064 DIPROPYLENE GLYCOL MONOMETHYL ETHER Source : IUCLID

5.83 ETHYLCELLULOSE Source : Easi View

Autoignition temperature : >205 °C

Decomposition temperature : not traceable

Viscosity : not traceable

Dust explosions possible in air : not applicable

Oxidising properties : no

9.2. Other information

Solubility in fat : not traceable Electrostatic chargement : not traceable

General : Product is hydroscopic.

SECTION 10: Stability and reactivity

10.1. Reactivity

See section 10.2 - 10.6.

10.2. Chemical stability

The substance or mixture is stable under normal conditions. See also section 10.4.

10.3. Possibility of hazardous reactions

Reactions with water : no

Other hazardous conditions : Data not available.

10.4. Conditions to avoid

Date of request : 2018-01-12 SDS 24792 - Page 4 / 7

Data not available

10.5. Incompatible materials

Hazardous reactions with : oxidizing substances, strong acids, isocyanates

10.6. Hazardous decomposition products

Hazardous decomposition products at heating : none

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

 LD-50: 5.23 g/kg (ORL-RAT)
 DIPROPYLENE GLYCOL MONOMETHYL ETHER
 Source
 : IUCLID

 LD-50: >5.0 g/kg (ORL-RAT)
 ETHYLCELLULOSE
 Source
 : SAX

 LD-50: >5.0 g/kg (ORL-RAT)
 DYE GREEN
 Source
 : Supplier

Acute dermal toxicity

Acute inhalation toxicity

There are no data available.

Ames test

not traceable

Skin corrosion/irritation

The substance or mixture is not classified for skin corrosion/-irritation.

Serious eye damage/irritation

The substance or mixture is not classified for serious eye damage/irritation.

Respiratory or skin sensitisation

The substance or mixture is not classified for respiratory or skin sensitisation.

Germ cell mutagenicity

The substance or mixture is not classified for germ cell mutagenicity.

Carcinogenicity

The substance or mixture is not classified for carcinogenicity.

Additional information regarding carcinogenicity (NTP, IARC, OSHA)

NTP: no IARC: no OSHA: no DIPROPYLENE GLYCOL MONOMETHYL ETHER NTP: no IARC: no OSHA: no ETHYLCELLULOSE

NTP: no IARC: 3 OSHA: no DYE GREEN

Reproductive toxicity

The substance or mixture is not classified for reproductive toxicity.

Specific target organ toxicity-single exposure

The substance or mixture is not classified for specific target organ toxicity-single exposure.

Specific target organ toxicity-repeated exposure

The substance or mixture is not classified for specific target organ toxicity-repeated exposure.

Aspiration hazard

The substance or mixture is not classified for aspiration hazard.

Symptoms

Eves

Skin local : The substance is prickling: redness.

: Degreasing: in case of sustained contact a rough, dry skin, eczema.

general : Probably no absorbtion worth mentioning. Ingestion local : The substance is prickling: sore throat.

general : The substance may be absorbed after ingestion.

Inhalation local : The substance is with atomising prickling: sore throat.

general : The substance may be absorbed after inhalation.

local : The substance is prickling: redness.

Remarks symptoms : The substance has an effect on: the liver, the kidneys, the nervous system.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

LC-50: >10000 mg/l/96H (Fish)

EC-50: >100 mg/l/48H (Daphnia)

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Source
: Supplier
IC-50: >100 mg/l/72H (Algae)

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Source
: Supplier
Source
: Supplier

Date of request : 2018-01-12 SDS 24792 - Page 5 / 7

12.2. Persistence and degradability

Biological oxygen demand : not traceable

: 0.0020 g/g : IUCLID Chemical oxygen demand DIPROPYLENE GLYCOL MONOMETHYL ETHER Source

Biological/chemical oxygen : not traceable demand ratio

Degradability : readily Source : Merck DIPROPYLENE GLYCOL MONOMETHYL ETHER

Bioaccumulative potential 12.3.

: <100 : IUCLID **Bioconcentration factor** Source DIPROPYLENE GLYCOL MONOMETHYL ETHER

(BCF)

DIPROPYLENE GLYCOL MONOMETHYL ETHER : -0.064 : IUCLID Log Po/w Source Source : Easi View

5.83 **ETHYLCELLULOSE**

12.4. Mobility in soil

Henry Constant : 1.6E-7 atm m3/mol DIPROPYLENE GLYCOL MONOMETHYL ETHER Source : Supplier Source : Easi View

3.55E-11 atm m3/mol ETHYLCELLULOSE

12.5. Results of PBT and vPvB assessment

Data not available.

12.6. Other adverse effects

Remarks on ecotoxicity : none

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Remainder material or uncleaned empty packagings have to be incinerated in a proper installation or dumped on an approved landfill, in accordance with local and national legislation.

SECTION 14: Transport information

14.1. **UN** number

Not subject to Transport-regulation Dangerous Substances

UN proper shipping name

Not subject to Transport-regulation Dangerous Substances

Transport hazard class(es) 14.3.

Not subject to Transport-regulation Dangerous Substances

14.4. Packing group

Not subject to Transport-regulation Dangerous Substances

Environmental hazards

Marine pollutant : no

Special precautions for user

Not subject to Transport-regulation Dangerous Substances

Transport in bulk according to Annex II of Marpol and the IBC Code 14.7.

Data not available.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

- The component(s), as mentioned in section 3, are registered in the Toxic Substances Control Act Inventory (TSCA-USA).

Chemical safety assessment

Data not available.

SECTION 16: Other information

Date of request: 2018-01-12 SDS 24792 - Page 6 / 7 Remarks on SDS : none

Overview relevant H-sentences from all components in section 3

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

A key or legend to abbreviations and acronyms used in the safety data sheet

REACH Registration, Evaluation and Authorisation of CHemicals

GHS Globally Harmonised System of Classification and Labelling of Chemicals

CAS Chemical Abstracts Service
TGG = TWA Time Weighted Average
LEL Lower Explosive Limit
UEL Upper Explosive Limit
NTP National Toxicology Program
KHC Known Human Carcinogen

RAHC Reasonably Anticipated Human Carcinogen IARC International Agency for Research on Cancer OSHA Occupational Safety & Health Administration

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route RID Règlement concernant le transport international ferroviaire des marchandises dangereuses

UN United Nations

IMDGInternational Maritime Dangerous GoodsIMOInternational Maritime OrganizationIATAInternational Air Transport AssociationICAOInternational Civil Aviation Organization

EmS Emergency Schedule

Date of request : 2018-01-12 SDS 24792 - Page 7 / 7

^{*} Point to alterations with regard to the previous version.

The information provided in this Safety Data Sheet is believed to be correct as of the date issued. Philips Electronics Nederland B.V. makes no warranty as to its contents, nor as to its fitness for any particular purpose or use.